

Bearing Designation	Dimensions						
轴承型号	尺寸(mm)						
	d H7	B	C1	d1	d2	d3-6H	h1
CHS3	3	6	4.5	5.1	14	M3	21
CHS4	4	7	5.25	6.5	16	M4	24
CHS5	5	8	6	7.7	18	M5	27
CHS6	6	9	6.75	8.9	20	M6	30
CHS8	8	12	9	10.3	24	M8	36
CHS10	10	14	10.5	12.9	28	M10	43
CHS12	12	16	12	15.4	32	M12	50
CHS14	14	19	13.5	16.8	36	M14	57
CHS16	16	21	15	19.3	42	M16	64
CHS18	18	23	16.5	21.8	46	M18x1.5	71
CHS20	20	25	18	24.3	50	M20x1.5	77
CHS22	22	28	20	25.8	54	M22x1.5	84
CHS25	25	31	22	29.5	60	M24x2	94
CHS28	28	35	24	32.29	66	M27x2	103
CHS30	30	37	25	34.8	70	M30x2	110

						Ball Diameter	Load Rating	
						钢球直径	载荷(KN)	
L3	(L4)	L5	d4	d5	sw		Dynamic	Static load
							动载	静载
7	27	3	9	7	7.93	14	1.8	4.1
8	31	4	9.5	8	9.52	13	2.8	5.2
10	36	4	11	9	11.11	13	3.25	8
12	40	5	13	11	12.7	13	4.25	8.9
16	48	5	16	13	15.87	14	7.1	14.1
20	57	6.5	19	17	19.05	13	9.8	19.3
22	66	6.5	22	19	22.22	13	13.2	23.5
25	75	8	25	22	25.4	16	17	28
28	85	8	27	22	28.58	15	21.4	32
32	94	10	31	27	31.75	15	26	42.5
33	102	10	34	30	34.92	14	31	47.5
37	111	12	37	32	38.1	15	42.2	57
42	124	12	42	36	42.86	15	52.7	68
44	136	12	46	41	47.63	15	58.8	79
51	145	15	50	41	50.8	17	70.7	88

Weight
重量
≈Kg
0.006
0.013
0.016
0.022
0.047
0.077
0.1
0.16
0.22
0.32
0.42
0.54
0.73
0.949
1.1