

型号	外形尺寸 (mm)					动载荷	静载荷	脂润滑	油润滑	重量
	d	D	H	d2	C	Cr	Cor			Kg
234406BM1	30	55	32	47	16	15	38	12000	15000	0.29
234407BM1	35	62	34	53	17	18.6	49	10000	13000	0.38
234408BM1	40	68	36	58.5	18	21.6	60	9500	12000	0.46
234409BM1	45	75	38	65	19	24.5	71	9000	11000	0.58
234410BM1	50	80	38	70	19	25.5	78	8000	9500	0.62
234411BM1	55	90	44	78	22	34	104	7000	8500	0.94
234412BM1	60	95	44	83	22	34.4	108	6700	8000	1
234413BM1	65	100	44	88	22	36	116	6300	7500	1.05
234414BM1	70	110	48	97	24	44	143	6000	7000	1.45
234415BM1	75	115	48	102	24	44	150	5600	6700	1.55
234416BM1	80	125	54	110	27	54	180	5000	6000	2.1
234417BM1	85	120	44	106	22	30.4	109	3300	4400	1.86
234417BM1	85	130	54	115	27	54	190	5000	6000	2.2
234418BM1	90	140	60	123	30	62	220	4500	5300	3
234419BM1	95	145	60	128	30	64	232	4500	5300	3.05
234420BM1	100	150	60	133	30	67	245	4300	5000	3.15
234421BM1	105	160	66	142	33	73	275	4000	4800	4.05
234422BM1	110	170	72	150	36	93	335	3800	4500	5.05
234424BM1	120	180	72	160	36	93	360	3400	4000	5.7
234426BM1	130	200	84	177	42	116	455	3200	3800	8.15
234428BM1	140	210	84	187	42	116	475	3000	3600	8.65
234430BM1	150	225	90	200	45	140	570	2600	3200	10.5
234432BM1	160	240	96	212	48	156	640	2400	3000	14
234434BM1	170	260	108	230	54	196	780	2200	2800	17.5
234436BM1	180	280	120	248	60	224	915	2000	2600	23
234438BM1	190	290	120	258	60	224	950	1900	2400	24
234440BM1	200	310	132	274	66	265	1100	1900	2400	31
234706BM1	32	55	32	47	16	15	38	12000	15000	0.26
234707BM1	37	62	34	53	17	18.6	19	10000	13000	0.35
234708BM1	42	68	36	58.5	18	21.6	60	9500	12000	0.46
234709BM1	47	75	38	65	19	24.5	71	9000	11000	0.53

234710BM1	52	80	38	70	19	25.5	78	8000	9500	0.58
234711BM1	57	90	44	78	22	34	104	7000	8500	0.9
234712BM1	62	95	44	83	22	34.5	108	6700	8000	0.94
234713BM1	67	100	44	88	22	36	116	6300	7500	1
234714BM1	73	110	48	97	24	44	143	6000	7000	1.43
234715BM1	78	115	48	102	24	44	150	5600	6700	1.4
234716BM1	83	125	54	110	27	54	180	5000	6000	1.95
234717BM1	88	130	54	115	27	54	190	5000	6000	2.05
234718BM1	93	140	60	123	30	62	220	4500	5300	2.7
234719BM1	98	145	60	128	30	64	232	4500	6300	2.85
234720BM1	103	150	60	133	30	67	245	4300	5000	2.95
234721BM1	109	160	66	142	33	73	275	4000	4800	3.7
234722BM1	114	170	72	150	36	93	335	3800	4500	4.65
234724BM1	124	180	72	160	36	93	360	3400	4000	5
234726BM1	135	200	84	177	42	116	455	3200	3800	7.45
234728BM1	145	210	84	187	42	116	475	3000	3600	7.85
234730BM1	115	255	90	200	45	140	570	2600	3200	9.75
234732BM1	165	240	96	212	48	156	640	2200	3000	12
234734BM1	175	260	108	230	54	196	780	2200	2800	16
234736BM1	185	280	120	248	60	224	915	2000	2600	21
234738BM1	195	290	120	258	60	224	950	1900	2400	22
234740BM1	207	310	132	274	66	265	1100	1900	2400	28.5
234905BM1	24	42	22	37	11	7.74	14.4	7600	10000	0.197
234906BM1	30	47	22	43	11	7.55	14.7	6600	8800	0.301
234907BM1	35	55	26	49	13	12.2	25.5	6000	8100	0.394
234908BM1	40	62	28	54	14	13.6	39.7	5600	7500	0.44
234909BM1	45	68	28	59.5	14	13.6	39.7	5200	6900	0.605
234910BM1	50	72	28	64	14	13.9	42.6	5000	6700	0.638
234911BM1	55	80	32	72	16	17.8	54.4	4400	5900	0.988
234912BM1	60	85	32	72	16	18.6	58.8	4300	5700	1.06
234913BM1	65	90	32	82	16	19.1	63.7	4200	5600	1.08
234914BM1	70	100	38	89	19	22.8	78.4	3800	5100	1.53
234915BM1	75	105	38	94	19	24	83.3	3700	4900	1.61
234916BM1	80	110	38	99	19	25	88.2	3300	4500	1.74
234918BM1	90	125	44	111	22	31	112	3300	4400	1.92

234919BM1	95	130	44	116	22	31.4	118	2900	3900	1.98
234920BM1	100	140	48	126	24	52	179	2800	3700	2.04
234921BM1	105	145	48	131	24	53.5	188	2700	3600	2.12
234922BM1	110	150	48	136	24	54	193	2700	3600	2.21
234924BM1	120	165	54	150	27	65	242	2400	3200	3.06
234926BM1	130	180	60	163	30	75	284	2200	2900	4.11
234928BM1	140	190	60	173	30	76	297	2100	2800	4.38
234930BM1	150	210	72	190	36	107	410	1800	2400	6.88
234932BM1	160	220	72	190	36	109	430	1800	2300	7.26
234934BM1	170	230	72	210	36	111	450	1700	2300	7.64
234936BM1	180	250	84	227	42	156	605	1500	2000	11.2
234938BM1	190	260	84	237	42	157	625	1500	2000	11.7
234940BM1	200	280	96	252	48	185	735	1300	1800	16.3
234944BM1	220	300	96	272	48	190	795	1300	1700	17.7
234948BM1	240	320	96	292	48	196	850	1200	1600	19
234952BM1	260	360	120	328	60	263	1130	1000	1400	32.9
234956BM1	280	380	120	348	60	265	1190	980	1300	35
234960BM1	300	420	384	72	72	335	1500	840	1100	55